

Reading Input/Java 5.0 (cont)

The file name is InputTester.

```
import java.util.Scanner;
public class InputTester{
    public static void main (String [] args){
        Scanner in = new Scanner (System.in);
        CashRegister register = new CashRegister () ;
        System.out.print ("Enter Price: ");
        double price = in.nextDouble();
        register.recordPurchase(price);
        System.out.print ("Enter Dollars: ");
        int dollars = in.nextInt();
        System.out.print ("Enter Quarters: ");
        int quarters = in.nextInt();
        System.out.print ("Enter Dimes: ");
        int dimes = in.nextInt();
    }
}
```

2/22

CS520: Introduction to Intelligent Systems

Reading Input/Java 5.0

```
Scanner in = new Scanner (System.in);
```

```
System.out.print ("Enter Quantity: ");
int quantity = in.nextInt();
System.out.print ("Enter Price: ");
double price = in.nextDouble();
System.out.print ("Enter City: ");
String city = in.nextLine(); //untill eof
System.out.print ("Enter State Code: ");
String code = in.nextLine(); // untill white space
```

4/22

CS520: Introduction to Intelligent Systems

Spring 2004

Inheritance

```
public class Attraction {
    // Define instance variable:
    public int minutes;
    // Define zero-parameter constructor:
    public Attraction () {
        System.out.println("Calling
Attraction constructor");
    }
    public Attraction (int m) {minutes = m;}
    minutes = 75;
}
```

```
public Attraction (int m) {minutes = m;}
```

4/22

Reading Input/Java 5.0 (cont)

```
System.out.print ("Enter Nickels: ");
int nickels = in.nextInt();
System.out.print ("Enter Pennies: ");
int pennies = in.nextInt();
register.enterPayment(dollars,
quarters, dimes, nickels, pennies);
System.out.print ("Your Change is: ");
System.out.println(register.giveChange());
```

1/22

Arrays

```
public class Demonstrate {
    public static void main (String argv[]) {
        int counter, sum = 0;
        int durations [] = {65, 87, 72, 75};
        for (counter = 0;
            counter < durations.length; ++counter)
            sum = sum + durations[counter];
        System.out.println(
            "The average of the " + sum / durations.length);
    }
}
```

10/22

CS520: Introduction to Intelligent Systems

Spring 2004

Abstract Classes

```
public abstract class Attraction {
    public int minutes;
    public Attraction () {minutes = 75;}
    public Attraction (int m) {minutes = m;}
    public int getMinutes () {return minutes;}
    public void setMinutes (int m) {minutes = m;}
    public abstract int rating ();
}
```

9/22

ArrayLists

- ▶ import java.util.*;
- ▶ ArrayList v;
- ▶ new ArrayList () v;
- ▶ ArrayList v = new ArrayList () ;
- ▶ v.add (m);
- ▶ v.set (5,m);
- ▶ v.remove (5);

12/22

CS520: Introduction to Intelligent Systems

Spring 2004

Arrays

- ▶ int durations [] ;
- ▶ new int [4];
- ▶ int durations [] = new int [4];
- ▶ int durations [] = {65, 87, 72, 75};
- ▶ durations [3] = 65;
- ▶ durations.length;

11/22

ArrayLists Example

```
public class Vehicle {
    public void print() {
        System.out.println("A Vehicle");
    }
}
```

CS520: Introduction to Intelligent Systems

Spring 2004

ArrayLists (cont)

```
public class PrivateCar extends MotorVehicle {
    int numseats;
    public PrivateCar(String no, int n) {
        super(no);
        numSeats = n;
    }
    public void print() {
        super.print();
        System.out.println(
            "Private car with : " +
            numSeats + "seats");
    }
}
```

14 / 22

CS520: Introduction to Intelligent Systems

Spring 2004

ArrayLists Example (cont)

```
public class MotorVehicle extends Vehicle {
    String regNum;
    public MotorVehicle(String no) {
        regNum = no;
    }
    public void print() {
        System.out.println(
            "A Motor Vehicle with reg no: " + regNum);
    }
}

▼ v.get(5);
▼ Foo e = (Foo) v.get(5);
▼ v.size();
```

13 / 22

15 / 22

ArrayLists Example (cont)

```
public class Bike extends Vehicle {
    String numGears;
    public Bike(int g) {
        numGears = g;
    }
    public void print() {
        System.out.println
            ("A bike with : " + numGears +
             " A bike with : ");
    }
}
```

CS520: Introduction to Intelligent Systems

Spring 2004

ArrayLists Example (cont)

```
public class Truck extends MotorVehicle {
    int maxL;
    public Truck(String no, int load) {
        super(no);
        maxL = load;
    }
    public void print() {
        super.print();
        System.out.println
            ("A Truck with with : " + maxL +
             "kg maximum load");
    }
}
```

17 / 22

Using Arrays(cont)

```
for (int i = 0; i < veh.length; i++)
    if (veh[i] != null) {
        veh[i].print();
        System.out.println();
    }
}
```

18 / 22

CS520: Introduction to Intelligent Systems

Spring 2004

Using Arrays(cont)

```
Vehicle[] veh = new Vehicle;
veh[0] = new PrivateCar("ABC123", 5);
veh[1] = new Truck("XYZ999", 10000);
veh[2] = new PrivateCar("PPP000", 6);
veh[3] = new Bike(10);
```

20 / 22

19 / 22

Using ArrayLists(cont)

```
for (int i = 0; i < u.size(); i++)  
    if (u.elementAt(i) != null) {  
        u.elementAt(i).print();  
        System.out.println();  
    }
```

22 / 22

Using ArrayLists(cont)

```
ArrayList u = new ArrayList();  
  
u.add(new PrivateCar("ABC123", 5));  
u.add(new Truck("XYZ999", 10000));  
u.add(new PrivateCar("PPP000", 6));  
u.add(new Bike(10));
```